This Page Is Inserted by IFW Operations and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):


- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.


As rescanning documents will not correct images, please do not report the images to the Image Problem Mailbox.




Total Testosterone (ng/dL)



Mean % Change in Total Testosterone (ng/dL)



Mean Serum PSA levels (ng/dl)



Mean serum PSA levels after 10% Testosterone


Figure :

Figure 3B


Figure 3A


Serum Estrdiol Levels (pg/ml)


Estradiol/Testosterone Ratio



Estradiol/Testosterone Ratio: Normal<0.01








Mean Serum Testosterone Concentration (ng/dl) for formulations of Testosterone


Figure 4

Serum Total Testosterone (ng/dL)



igure 5

Free Testosterone (pg/m L)



igure 6